

CONTENTS

■ Tomza-Marciniak A., Witczak A. Distribution of endocrine-disrupting pesticides in water and fish from the Oder River, Poland	1
■ Singh A.K., Pathak A.K., Lakra W.S. Invasion of an exotic fish—common carp, <i>Cyprinus carpio</i> L. (Actinopterygii: Cypriniformes: Cyprinidae) in the Ganga River, India and its impacts	11
■ Fopp-Bayat D. Microsatellite DNA variation in the Siberian sturgeon, <i>Acipenser baeri</i> (Actinopterygii, Acipenseriformes, Acipenseridae), cultured in a Polish fish farm	21
■ Düzbastılar F.O., Özgül A., Aydın İ., Gül B., Soykan P. A preliminary study on the survival of brown comber, <i>Serranus hepatus</i> (Actinopterygii, Perciformes, Serranidae), escaping from the codend of a bottom trawl	27
■ Dziaman R., Hajek G., Klyszejko B. Effect of 2-phenoxyethanol and etomidate on cardiac and respiratory functions and behaviour of common carp, <i>Cyprinus carpio</i> L. (Actinopterygii, Cypriniformes, Cyprinidae), during general anaesthesia	37
■ Karachle P.K., Stergiou K.I. Intestine morphometrics of fishes: a compilation and analysis of bibliographic data	45
■ İlhan D. Akalin S., Tosunoğlu Z., Özaydın O. Growth characteristics and reproduction of comber, <i>Serranus cabrilla</i> (Actinopterygii, Perciformes, Serranidae), in the Aegean Sea	55
■ Lauridsen J.H., Buchmann K. Effects of short- and long-term glucan feeding of rainbow trout (Salmonidae) on the susceptibility to <i>Ichthyophthirius multifiliis</i> infections	61
■ Almeida A.J., Biscoito M., Santana J.I., González J.A. New records of grey cutthroat, <i>Synaphobranchus affinis</i> (Actinopterygii: Anguilliformes: Synaphobranchidae), from the eastern-central Atlantic Ocean	66
■ Corsini-Foka M., Margies P., Kondilatos G., Economidis P.S. Tetraodontid colonizers in the Aegean Sea; Second record of the spiny blaasop, <i>Tylerius spinosissimus</i> (Actinopterygii: Tetraodontiformes: Tetraodontidae)	71
■ Filiz H., Yapici S., Akcinar S.C., Uluturk E., Dardere H.Z., Erdem M. The occurrence of the Cadenat's rockfish, <i>Scorpaena loppei</i> (Actinopterygii: Scorpaeniformes: Scorpaenidae), in the eastern Aegean Sea	75
■ Keskin C., Eryilmaz L. Easternmost record of the lancet fish, <i>Notoscopelus kroyeri</i> (Actinopterygii: Myctophiformes: Myctophidae), in the Mediterranean Sea	79
■ Leblebici S., Özaydın O., Eronat E.G.T. First record of Facciola's sorcerer, <i>Facciolella oxyrhyncha</i> (Actinopterygii, Anguilliformes, Nettastomatidae) from the Aegean Sea	83
■ Witkowski A., Głowacki P. A record of pink salmon, <i>Oncorhynchus gorbuscha</i> (Actinopterygii, Salmoniformes, Salmonidae), in the Revelva River, Hornsund area (SW Spitsbergen)	87
■ Francour P., Cottalorda J.-M., Aubert M., Bava S., Colombey M., Gilles P., Kara H., Lelong P., Mangialajo L., Miniconi R., Quignard J.-P. Recent occurrences of opah, <i>Lampris guttatus</i> (Actinopterygii, Lampriformes, Lampridae), in the western Mediterranean Sea	91
■ EDITORIAL POLICY AND GENERAL INFORMATION	99

