

CONTENTS OF VOLUME 45 (2015)

Issue 1

| | |
|---|-----|
| Freitas M.O., Abilhoa V., Giglio V.J., Hostim-Silva M., Moura R.L., Francini-Filho R.B., Minte-Vera C.V. Diet and reproduction of the goliath grouper, <i>Epinephelus itajara</i> (Actinopterygii: Perciformes: Serranidae), in eastern Brazil | 1 |
| Neves A., Sequeira V., Vieira A.R., Paiva R.B., Gordo L.S. Age and growth of small red scorpionfish, <i>Scorpaena notata</i> (Actinopterygii: Scorpaeniformes: Scorpaenidae), a common discard species from the Portuguese fishery | 13 |
| Moreno-Sánchez X.G., Palacios-Salgado D.S., Abitia-Cárdenas L.A., Nieto-Navarro J.T., Navia A.F. Diet of the yellowfin snook, <i>Centropomus robalito</i> (Actinopterygii: Perciformes: Centropomidae), in the southwestern Gulf of California..... | 21 |
| Bušelić I., Stagličić N., Lloret J., Matić-Skoko S. Can restrictions in Mediterranean artisanal fisheries be beneficial for target species?..... | 31 |
| Soykan O., İlkyaz A.T., Metin G., Kmáčgil H.T. Growth and reproduction of <i>Boops boops</i> , <i>Dentex macrophthalmus</i> , <i>Diplodus vulgaris</i> , and <i>Pagellus acarne</i> (Actinopterygii: Perciformes: Sparidae) from east-central Aegean Sea, Turkey..... | 39 |
| Chater I., Romdhani A., Dufour J.L., Mahé K., Francour P., Chakroun-Marzouk N. Otolith growth and age estimation of bastard grunt, <i>Pomadasys incisus</i> (Actinopterygii: Perciformes: Haemulidae), in the Gulf of Tunis (Central Mediterranean) | 57 |
| Król J., Dauchot N., Mandiki S.N.M., Van Cutsem P., Kestemont P. Cannibalism in cultured Eurasian perch, <i>Perca fluviatilis</i> (Actinopterygii: Perciformes: Percidae)— Implication of maternal influence, kinship, and sex ratio of progenies | 65 |
| Düzbastılar F.O., Laleli T., Özgül A., Metin G. Determining the severity of skin injuries of red mullet, <i>Mullus barbatus</i> (Actinopterygii: Perciformes: Mullidae), inflicted during escape from trawl codend..... | 75 |
| Engin S., Akdemir T., Keskin A.C. First record of <i>Lebetus guilleti</i> (Actinopterygii: Perciformes: Gobiidae) from the Sea of Marmara | 85 |
| Ray D., Mohapatra A., Biswas S., Satpathy K.K., Mishra S.S. First record of the Evermann's snake eel, <i>Ophichthus lithinus</i> (Actinopterygii: Anguilliformes: Ophichthidae), from northern Indian Ocean..... | 89 |
| Altın A., Ozen O., Ayyıldız H., Daban I.B. Feeding habits of the marbled goby, <i>Pomatoschistus marmoratus</i> (Actinopterygii: Perciformes: Gobiidae), in the Çanakkale Strait, northern Aegean Sea, Turkey | 95 |
| Barreiros J.P., Fricke R. Occurrence of <i>Diodon eydouxi</i> (Actinopterygii: Tetraodontiformes: Diodontidae) in the Azores and comparison with Pacific specimens | 101 |
| Kara M.H., Ben Lamine E., Francour P. Range expansion of an invasive pufferfish, <i>Lagocephalus sceleratus</i> (Actinopterygii: Tetraodontiformes: Tetraodontidae), to the south-western Mediterranean..... | 103 |
| Genner M.J., Turner G.F., Smith A., Mzighani S., Ngatunga B.P. Presence of <i>Acapoeta tanganyicae</i> (Actinopterygii: Cypriniformes: Cyprinidae) within the Lake Rukwa catchment supports historic riverine connectivity with Lake Tanganyika | 109 |
| Editorial policy and instructions for authors..... | 113 |

Issue 2

| | |
|---|-----|
| Jaafour S., Yahyaoui A., Sadak A., Bacha M., Amara R. Fish assemblages of a shallow Mediterranean lagoon (Nador, Morocco): An analysis based on species and functional guilds..... | 115 |
| Himberg M., von Numers M., Vasemägi A., Heselius S.-J., Wiklund T., Lill J.-O., Hägerstrand H. Gill raker counting for approximating the ratio of river- and sea-spawning whitefish, <i>Coregonus lavaretus</i> (Actinopterygii: Salmoniformes: Salmonidae) in the Gulf of Bothnia, Baltic Sea | 125 |
| Bokhutlo T., Mosepele K. Gillnet selectivity for the north African catfish, <i>Clarias gariepinus</i> (Actinopterygii: Siluriformes: Clariidae), from the Upper Okavango Delta, Botswana | 133 |
| Boniśławska M., Szulc J., Formicki K. The effect of water salinity on the motility of spermatozoa of the brook trout, <i>Salvelinus fontinalis</i> (Actinopterygii: Salmoniformes: Salmonidae)..... | 143 |
| Di Franco A., Gianni F., Guidetti P. Mismatch in early life traits between settlers and recruits in a Mediterranean fish: Clue of the relevance of the settlement tail? | 153 |
| Simonović P., Vidović Z., Tošić A., Škraba D., Čanak-Atlagić J., Nikolić V. Risks to stocks of native trout of the genus <i>Salmo</i> (Actinopterygii: Salmoniformes: Salmonidae) of Serbia and management for their recovery..... | 161 |
| Rodríguez-Cortés K.D., Aguilar-Perera A., Bonilla-Gómez J.L. Growth and mortality of red lionfish, <i>Pterois volitans</i> (Actinopterygii: Scorpaeniformes: Scorpaenidae), in the Parque Nacional Arrecife Alacranes, southern Gulf of Mexico, as determined by size-frequency analysis..... | 175 |
| Eryilmaz L., Dalyan C. Age, growth, and reproductive biology of turbot, <i>Scophthalmus maximus</i> (Actinopterygii: Pleuronectiformes: Scophthalmidae), from the south-western coasts of Black Sea, Turkey..... | 181 |
| Vasil'eva E.D., Mousavi-Sabet H., Vasil'ev V.P. <i>Ponticola iranicus</i> sp. nov. (Actinopterygii: Perciformes: Gobiidae) from the Caspian Sea basin..... | 189 |
| Sandoval-Huerta E.R., Madrigal-Guridi X., Domínguez-Domínguez O., Ruiz-Campos G., González-Acosta A.F. Length–weight and length–length relations for 14 fish species from the central Mexican Pacific coast | 199 |
| Rafrafi-Nouira S., Golani D., El Kamel-Moutalibi O., Boumaïza M., Reynaud C., Capapé C. First record of imperial blackfish, <i>Schedophilus ovalis</i> (Actinopterygii: Perciformes: Centrolophidae), from the Tunisian coast, central Mediterranean..... | 203 |
| Aydın I., Akyol O. First record of an Indo-Pacific gaper, <i>Champsodon vorax</i> (Actinopterygii: Perciformes: Champsodontidae), from the Aegean Sea, Turkey..... | 207 |
| Capapé C., Rafrafi-Nouira S., El Kamel-Moutalibi O., Boumaïza M., Reynaud C. First Mediterranean records of spinetail devil ray, <i>Mobula japonica</i> (Elasmobranchii: Rajiformes: Mobulidae)..... | 211 |
| Fricke R., Golani D., Appelbaum-Golani B. First record of the toothy goby, <i>Pleurosicya mossambica</i> , from Israel, Gulf of Aqaba, Red Sea, and status of <i>P. sinaia</i> (Actinopterygii: Perciformes: Gobiidae)..... | 217 |

Issue 3

- Timalata K., Marimuthu K., Vengkades Rao R., Xavier R., Rahman M.A., Sreeramanan S., Arasu M.V., Al-Dhabi N.A., Arockiaraj J.
Elucidation of innate immune components in the epidermal mucus of different freshwater fish species221
- Ünal V., Göncüoğlu H., Durgun D., Tosunoğlu Z., Deval C., Turan C.
Silver-cheeked toadfish, *Lagocephalus sceleratus* (Actinopterygii: Tetraodontiformes: Tetraodontidae), causes a substantial economic losses in the Turkish Mediterranean coast: A call for decision makers231
- Kalous L., Patoka J., Kopecký O.
European hub for invaders: Risk assessment of freshwater aquarium fishes exported from the Czech Republic239
- Plikshs M., Hinrichsen H.-H., Elferts D., Sics I., Kornilovs G., Köster F.W.
Reproduction of Baltic cod, *Gadus morhua* (Actinopterygii: Gadiformes: Gadidae), in the Gotland Basin: Causes of annual variability247
- Ulman A., Saad A., Zylich K., Pauly D., Zeller D.
Reconstruction of Syria's fisheries catches from 1950–2010: Signs of overexploitation259
- Al-Mamry J.M., Chesalin M.V., Al-Mamary D.S., Al-Senaidi R.H.
The bycatch composition of shrimp trawl fishery in the Oman coastal waters, the Arabian Sea273
- Domagała J., Dziewulska K., Kirczuk L., Pilecka-Rapacz M.
Sexual cycle of white bream, *Blicca bjoerkna* (Actinopterygii, Cypriniformes, Cyprinidae), from three sites of the lower Oder River (NW Poland) differing in temperature regimes285
- Kempton J., Kielpiński M., Panicz R., Mikolajczyk K., Keszka S.
Genetic traceability of selected populations of the yellowstripe scad, *Selaroides leptolepis* (Actinopterygii: Perciformes: Carangidae), based on the analysis of microsatellite DNA—CELFIH Project—Part 3299
- Gökoğlu M., Özvarol Y.
Epinephelus coioides (Actinopterygii: Perciformes: Serranidae)—a new Lessepsian migrant in the Mediterranean coast of Turkey307
- Golani D., Askarov G., Appelbaum-Golani B.
First confirmed record of the blue tang, *Acanthurus coeruleus* (Actinopterygii: Perciformes: Acanthuridae) in the Mediterranean311
- Deidun A., Watson D., Castriota L., Mazza G., Pasolli L.
First record of the fangtooth moray, *Enchelycore anatina* (Actinopterygii: Anguilliformes: Muraenidae), from Maltese waters, central Mediterranean315
- Turan C., Erguden D., Uygur N., Gurlek M., Erdogan Z.A., Sonmez B., Uyan A., Karan S., Dogdu S.A.
First record of the Indian Ocean twospot cardinalfish, *Cheilodipterus novemstriatus* (Actinopterygii: Perciformes: Apogonidae), from Turkish marine waters319
- Cruz-Mena O., Angulo A.
New records of hagfishes (Myxini: Myxiniformes: Myxinidae) from the Pacific coast of Costa Rica323
- Tsadok R., Shemesh E., Popovich Y., Sabag Y., Golani D., Tchernov D.
New record and occurrence of the Red Sea bannerfish, *Heniochus intermedius* (Actinopterygii: Perciformes: Chaetodontidae), in the Mediterranean331

Issue 4

- Panicz R., Sadowski J., Schütze H., Bergmann S.M.
Temperature influence on key players of the somatotrophic axis of tench, *Tinca tinca* (Actinopterygii: Cypriniformes: Cyprinidae)335

| | |
|---|-----|
| Aydın B., Gümüş E., Balcı B.A. Effect of dietary fish meal replacement by poultry by-product meal on muscle fatty acid composition and liver histology of fry of Nile tilapia, <i>Oreochromis niloticus</i> (Actinopterygii: Perciformes: Cichlidae)..... | 343 |
| Aydın C., Tokaç A. Selectivity of 40 mm square- and 90° turned-mesh codend for the deepwater rose shrimp, <i>Parapenaeus longirostris</i> (Crustacea), and greater forkbeard, <i>Phycis blennoides</i> (Actinopterygii: Gadiformes: Phycidae), in the eastern Mediterranean..... | 353 |
| Trojette M., Ben Faleh A., Fatnassi M., Marsaoui B., Mahouachi N.H., Chalh A., Quignard J.-P., Trabelsi M. Stock discrimination of two insular populations of <i>Diplodus annularis</i> (Actinopterygii: Perciformes: Sparidae) along the coast of Tunisia by analysis of otolith shape..... | 363 |
| Dutta D., Banerjee S., Mukherjee A., Ghosh K. Selection and probiotic characterization of exoenzyme-producing bacteria isolated from the gut of <i>Catla catla</i> (Actinopterygii: Cypriniformes: Cyprinidae) | 373 |
| Konečná M., Janáč M., Roche K., Jurajda P. Variation in life-history traits between a newly established and long-established population of non-native pumpkinseed, <i>Lepomis gibbosus</i> (Actinopterygii: Perciformes: Centrarchidae)..... | 385 |
| Martínez-Guevara A., García-Rodríguez F.J., Cota-Gómez V.M., Hernández-Gómez R.E., Perera-García M.A., De La Cruz-Agüero J. <i>Eugerres castroaguirrei</i> González-Acosta et Rodiles-Hernández, 2013 is a junior synonym of <i>Eugerres mexicanus</i> (Steindachner, 1863) (Actinopterygii: Perciformes: Gerreidae) | 393 |
| Ray D., Ho H.-C., Mohapatra A. First record of <i>Paraperca ommatura</i> (Actinopterygii: Perciformes: Pinguipedidae) from the Indian Ocean | 403 |
| Fricke R., Cadet C., Mulochau T. First record of the sawspine dragonet, <i>Diplogrammus infulatus</i> Smith, 1963 (Actinopterygii: Perciformes: Callionymidae), from La Réunion, south-western Indian Ocean | 407 |
| Pütys Ž., Ložys L., Būda V. Respiratory response to the chemical cues of injured conspecifics and histology of skin in round goby, <i>Neogobius melanostomus</i> (Actinopterygii: Perciformes: Gobiidae) | 411 |
| Ali M., Saad A., Reynaud C., Capapé C. First record of wedge sole, <i>Dicologlossa cuneata</i> (Actinopterygii: Pleuronectiformes: Soleidae), from the Levant Basin (eastern Mediterranean) | 417 |
| Fricke R., Golani D., Appelbaum-Golani B. New record of the Mozambique scorpionfish, <i>Parascorpaena mossambica</i> (Peters, 1855) (Actinopterygii: Scorpaeniformes: Scorpaenidae), from Israel, Gulf of Aqaba, Red Sea..... | 423 |
| Park J.M., Huh S.H. Length–weight relations for 29 demersal fishes caught by small otter trawl on the south-eastern coast of Korea..... | 427 |
| Irmak E., Altınağaç U. First record of an invasive Lessepsian migrant, <i>Lagocephalus sceleratus</i> (Actinopterygii: Tetraodontiformes: Tetraodontidae), in the Sea of Marmara..... | 433 |
| List of reviewers (2015)..... | 437 |
| Contents of volume 45 (2015) | 439 |