

CONTENTS OF VOLUME 46 (2016)

Issue 1

Van Steenberge M., Snoeks J., Vreven E. Lingering taxonomic confusion in <i>Labeo</i> (Actinopterygii: Cypriniformes: Cyprinidae): correcting the records and basis of type designations for seven Congolese species	1
Roy T., Dan S.K., Banerjee G., Nandi A., Ghosh P., Ray A.K. Comparative efficacy of phytase from fish gut bacteria and a commercially available phytase in improving the nutritive value of sesame oilseed meal in formulated diets for fingerlings of rohu, <i>Labeo rohita</i> (Actinopterygii: Cypriniformes: Cyprinidae).....	9
Romdhani A., Ktari M.-H., Dufour J.-L., Mahe K., Francour P. Growth and age estimation of the greater forkbeard, <i>Phycis blennoides</i> (Actinopterygii: Gadiformes: Phycidae), from the Gulf of Tunis (central Mediterranean)	25
Wickel J., Pinault M., Fricke R. First record of a western Mascarene endemic, <i>Halichoeres pelicieri</i> (Actinopterygii: Perciformes: Labridae), from Reunion Island	33
Corsini-Foka M., Sarlis N. A strange occurrence of <i>Plectorhinchus gaterinus</i> (Actinopterygii: Perciformes: Haemulidae) in the Thracian Sea (eastern Mediterranean)	37
Glavičić I., Kovačić M. A quantitative sampling method for assessment of deep cryptobenthic ichthyofauna using trimix diving	43
Giacobbe S., Spinelli A., De Matteo S., Kovačić M. First record of the large-headed goby, <i>Millerigobius macrocephalus</i> (Actinopterygii: Perciformes: Gobiidae), from Italy	49
Akyol O., Ünal V. First record of a Lessepsian migrant, <i>Pomadasys stridens</i> (Actinopterygii: Perciformes: Haemulidae) from the Aegean Sea, Turkey.....	53

Issue 2

Emre Y., Altın A., Ayyıldız H., Dölcü B., Küçük F., Özen Ö. Age and growth of <i>Capoeta pestai</i> (Actinopterygii: Cypriniformes: Cyprinidae) in a small river entering Lake Eğirdir, Turkey	57
Tiralongo F., Tibullo D., Brundo M.V., Paladini De Mendoza F., Melchiorri C., Marcelli M. Habitat preference of combtooth blennies (Actinopterygii: Perciformes: Blenniidae) in very shallow waters of the Ionian Sea, south-eastern Sicily, Italy.....	65
Ho H.-C., Kawai T., Wudianto, Satria F. Records of anglerfishes (Actinopterygii: Lophiiformes: Lophiidae) from Indonesia	77
Caetano D.L.F., Oliveira E.F., Zawadzki C.H. Fish species indicators of environmental variables of Neotropical streams in southern Brazil, upper Paraná River basin	87
Moreno-Sánchez X.G., Abitia-Cardenas L.A., Trujillo-Retana G., Navia A.F., Ramírez-Pérez J.S., Shirasago-German B. Variation of feeding habits of <i>Lutjanus peru</i> (Actinopterygii: Perciformes: Lutjanidae) caught in two regions of the Gulf of California, Mexico	97

Bourjon P., Fricke R. First record of the seagrass wrasse, <i>Novaculoides macrolepidotus</i> (Bloch, 1791) (Actinopterygii: Perciformes: Labridae), from Reunion Island, south-western Indian Ocean, with a brief description of its colour pattern variation, escape and reproductive behaviour	109
Fricke R., Golani D., Appelbaum-Golani B., Zajonz U. New record of the spiny pufferfish, <i>Tylerius spinosissimus</i> (Regan, 1908), from Israel, Gulf of Aqaba, Red Sea (Actinopterygii: Tetraodontiformes: Tetraodontidae).....	115
Longenecker K., Giamsa H. First report of teardrop threadfin bream, <i>Nemipterus isacanthus</i> (Actinopterygii: Perciformes: Nemipteridae), from the Solomon Sea, Papua New Guinea.....	119
Vasco-Rodrigues N., Fontes J., Bertoincini Á.A. Ten new records of marine fishes for São Tomé, West Africa	123
Kumar R.R., Venu S., Bineesh K.K., Basheer V.S. New biogeographic data and DNA barcodes for the Indian swellshark, <i>Cephaloscyllium silasi</i> (Talwar, 1974) (Elasmobranchii: Carcharhiniformes: Scyliorhinidae), from Andaman waters.....	131
Tobes I., Miranda R., Gaspar S., Peláez-Rodríguez M. Biometric relations of freshwater fishes of the Suaza River (Huila Department, Colombia).....	137
Bullard S.A. In Memoriam: George William Benz (1 January 1954–9 February 2015).....	141
Issue 3	
Montoya-Mejía M., Rodríguez-González H., Nolasco-Soria H. Circadian cycle of digestive enzyme production at fasting and feeding conditions in Nile tilapia, <i>Oreochromis niloticus</i> (Actinopterygii: Perciformes: Cichlidae)	163
Witkowski F., Vion A., Bouchoucha M. Temporal partitioning of diurnal behavioural patterns of <i>Coris julis</i> and <i>Diplodus vulgaris</i> (Actinopterygii: Perciformes) in Mediterranean coralligenous habitats.....	171
Arredondo-Chávez A.T., Sánchez-Jimenez J.A., Ávila-Morales O.G., Torres-Chávez P., Herrerías-Diego I., Medina-Nava M., Madrigal-Guridi X., Campos-Mendoza A., Domínguez-Domínguez O., Caballero-Vázquez J.A. Spatio-temporal variation in the diet composition of red lionfish, <i>Pterois volitans</i> (Actinopterygii: Scorpaeniformes: Scorpaenidae), in the Mexican Caribbean: Insights into the ecological effect of the alien invasion.....	182
Talukdar S., Ringø E., Ghosh K. Extracellular tannase-producing bacteria detected in the digestive tracts of freshwater fishes (Actinopterygii: Cyprinidae and Cichlidae).....	201
Sever T.M., İlhan D. Diet composition of red bandfish, <i>Cepola macrophthalmia</i> (Actinopterygii: Perciformes: Cepolidae), from the Aegean Sea of Turkey	211
Rutkayová J., Jawad L., Nebesářová J., Beneš K., Petrášková E., Näslund J. First records of scale deformities in seven freshwater fish species (Actinopterygii: Percidae and Cyprinidae) collected from three ponds in the Czech Republic.....	225

Biernaczyk M., Neja Z., Opanowski A., Stepanowska K., Formicki K., Wawrzyniak W. Reproduction of cod, <i>Gadus morhua</i> (Actinopterygii: Gadiformes: Gadidae), from the Gdańsk Deep (Baltic Sea) under controlled conditions	239
De La Cruz-Agüero J. Light organ anomalies in three species of myctophid fishes (Actinopterygii: Myctophiformes: Myctophidae) from the Pacific coast of Mexico	247
Estupiñán-Montaño C., Galván-Magaña F., Hacoheh-Domené A., Estupiñán-Ortiz J.F. First reports of smalltooth sand tiger sharks, <i>Odontaspis ferox</i> (Elasmobranchii: Lamniformes: Odontaspidae), off the continental Ecuador	251
Zenetos A., Apostolopoulos G., Crocetta F. Aquaria kept marine fish species possibly released in the Mediterranean Sea: First confirmation of intentional release in the wild	255
Longenecker K., Langston R., Kondio U., Bolick H., Mulrooney M. Rapid reproductive analysis and length–weight relations of three reef fishes (Actinopterygii: Perciformes and Tetraodontiformes) from a remote site in Papua New Guinea	263
Viana A.P., Lucena-Frédou F., Ménard F., Frédou T., Ferreira V., Lira A.S., Le Loc'h F. Length–weight relations of 70 fish species from tropical coastal region of Pernambuco, Northeast Brazil	271

Issue 4

Sabido-Itzá M.M., Aguilar-Perera A., Medina-Quej A. Length–weight and length–length relations, and relative condition factor of the red lionfish, <i>Pterois volitans</i> (Actinopterygii: Scorpaeniformes: Scorpaenidae), from two natural protected areas in the Mexican Caribbean	279
Kempton J., Kiełpiński M., Panicz R., Keszka S. Microsatellite DNA-based genetic traceability of two populations of splendid alfonsino, <i>Beryx splendens</i> (Actinopterygii: Beryciformes: Berycidae)—Project CELFISH—Part 2	287
Fernández-Rivera Melo F.J., Reyes-Bonilla H., López-Rocha J.A., Salomon-Aguilar C.A. Growth and mortality of the king angelfish, <i>Holocanthus passer</i> (Actinopterygii: Perciformes: Pomacanthidae), in the central Gulf of California, Mexico	293
Čivas L., Kesminas V., Barisevičiūtė R. Impact of the riverbed morphology on the source of organic material and the trophic structure of fish community along the upper reaches of the Nevėžis River, Lithuania	303
Moslemi-Aqdam M., Imanpour Namin J., Sattari, M., Abdolmalaki Sh., Bani A., Rochowski, B.E.A. Reproductive characteristics of northern pike, <i>Esox lucius</i> (Actinopterygii: Esociformes: Esocidae), in the Anzali Wetland, southwest Caspian Sea	313
Piasecki W., Głabiński Z., Francour P., Koper P., Saba G., Molina García A., Ünal V., Karachle P.K., Lepetit A., Tservenis R., Kızılkaya Z., Stergiou K.I. Pescaturism—A European review and perspective	325
Emiroğlu Ö., Ekmekçi F. G., Aksu S., Başkurt S., Atalay A., Tarkan A.S. Introduction and establishment of tropical ornamental fish, <i>Pterygoplichthys</i> spp. (Actinopterygii: Siluriformes: Loricariidae) in hot springs: Aquarium trade as a potential risk for biodiversity in Turkey	351

Ho H.-C., Nakaya K. New record of the Japanese roughshark, <i>Oxynotus japonicus</i> Yano et Murofushi, 1985 (Elasmobranchii: Squaliformes: Oxynotidae) in Taiwan.....	357
Guarte D.M., Campos W.L. First record of <i>Evoxymetopon taeniatus</i> (Actinopterygii: Perciformes: Trichiuridae) from the Philippines.....	361
List of reviewers (2016).....	367
Contents of volume 46 (2016)	369